Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"6815040".pn. or "6734227".pn. or "6632508".pn. or "5851674". pn.	US-PGPUB; USPAT	OR	ON	2005/07/14 12:57
L2	22	(Martin.in. or Pellerite.in. or 3M. as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped or stripping or replac\$7) with (coat\$5 or film or layer) with (antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or \$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9) with (plasma or (glow adj discharge)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 13:02
L3	22	(Martin.in. or Pellerite.in. or 3M. as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or \$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9) with (plasma or (glow adj discharge)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 13:04
L4	22	(Martin.in. or Pellerite.in. or 3M. as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or \$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (plasma or (glow adj discharge)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/07/14 13:05

L5	22	(Martin.in. or Pellerite.in. or 3M.	US-PGPUB;	OR	ON	2005/07/14 14:05
		as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped or stripping or replac\$7 or	USPAT; EPO; JPO; DERWENT;			
		refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (fingerprint\$4 or antisoil\$5 or	IBM_TDB			
		antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or \$12silane or \$12siloxane or			:	
		\$125ilane or \$125iloxane or \$12polyether or perfluor\$9 or fluor\$9 or stainproof\$4 or				
		soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (plasma or (glow adj discharge)))				
L6	4	(Martin in. or Pellerite in. or 3M. as. or (Minnesota adj Mining).as.)	US-PGPUB; USPAT;	OR	ON	2005/07/14 14:09
		and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with	EPO; JPO; DERWENT; IBM_TDB			
		(antireflect\$5 or (anti adj reflect\$5) or ARC or (reflect\$4 adj reduc\$5)) with (plasma or (glow adj discharge)))				
L7	14	(Martin.in. or Pellerite.in. or 3M. as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped	US-PGPUB; USPAT;	OR	ON	2005/07/14 14:10
		or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (plasma or (glow adj discharge))) and ((fingerprint\$4 or antisoil\$5 or	EPO; JPO; DERWENT; IBM_TDB			
		antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with				
		(\$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9))				
L8	1510	(Martin.in. or Pellerite.in. or 3M. as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/07/14 14:14
		or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or	DERWENT; IBM_TDB			
		hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4)) or				
		\$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9))				

L9	912	(Martin.in. or Pellerite.in. or 3M. as. or (Minnesota adj Mining).as.) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) near4 (fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 13:12
L10	67	L8 and (antireflect\$5 or (anti adj reflect\$5) or (reflect\$5 adj reduc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 13:35
L11	2	"20040043142"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 13:46
L12	2	"20040253369"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 13:46
L13	1283	(427/534,535,536,539).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L14	766	(427/140).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L15	508	(427/154,155).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L16	2602	(427/162,164,165,169).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L17	1315	(427/402).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L18	235	(427/419.5).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L19	925	(351/159,163).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:47
L20	1456	(351/166,177).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:48
L21	743	(359/580,581,582).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:48
L22	149	(216/26):CCLS:	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:48
L23	1904	(216/67).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 13:48

L24	11113	L13 L14 L15 L16 L17 L18 L19 L20 L21 L22 L23	US-PGPUB; USPAT	OR	ON	2005/07/14 13:48
L25	0	("2004/0253369").URPN.	USPAT	OR	ON	2005/07/14 13:49
L26	171	L24 and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or \$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (plasma or (glow adj discharge)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:06
L27	19	L24 and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (antireflect\$5 or (anti adj reflect\$5) or ARC or (reflect\$4 adj reduc\$5)) with (plasma or (glow adj discharge)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:09
L28	52	L24 and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer) with (plasma or (glow adj discharge))) and ((fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (\$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:11

L29	1187	(antireflect\$5 or (anti adj reflect\$5) or (reflect\$5 adj reduc\$5)) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) same (coat\$5 or film or layer) same (fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4)) or \$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9) same (plasma or (glow adj discharge))) and ((coat\$5 or deposit\$5 or film or layer or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) same (\$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:28
L30	25	(antireflect\$5 or (anti adj reflect\$5) or (reflect\$5 adj reduc\$5)) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) same (coat\$5 or film or layer) same (fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4)) or \$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9) same (plasma or (glow adj discharge))) and ((coat\$5 or deposit\$5 or film or layer or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or sloeophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) same (\$12silane or \$12siloxane or \$12polyether or perfluor\$9 or fluor\$9) same (MW or (molecular adj weight)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:21
L31	88	L29 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/07/14 14:25

L32	84	L31 not L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:25
133	886	(antireflect\$5 or (anti adj reflect\$5) or (reflect\$5 adj reduc\$5)) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer or topcoat\$4 or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4)) or \$12silane or \$12siloxane or \$12polyether or perfluor\$9) same (plasma or (glow adj discharge))) and ((topcoat\$4 or coat\$5 or deposit\$5 or film or layer or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (\$12silane or \$12siloxane or \$12polyether or perfluor\$10))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14:14:39
L34	65 ,	L33 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:32
L35	23	L34 not L31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:33
L36	821	L33 not L34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:33

		<u>-</u>				
L37	23	(plasma or (glow adj discharge)) and (antireflect\$5 or (anti adj reflect\$5) or (reflect\$5 adj reduc\$5)) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer or topcoat\$4 or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4)) or \$12silane or \$12siloxane or \$12polyether or perfluor\$9) with (lens\$4 or eyeglass\$4 or antireflect\$5 or (anti adj reflect\$5) or (reflect\$4 adj reduc\$5) or spectacle or ophthalmic\$5 or opthalmic\$5 or optical\$4)) and ((topcoat\$4 or coat\$5 or deposit\$5 or film or layer or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (\$12silane or \$12siloxane or \$12polyether or perfluor\$10) same (MW or (molecular adj weight)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:46

	т	·	·	1	т	<del></del>
L38	601	(plasma or (glow adj discharge)) and (antireflect\$5 or (anti adj reflect\$5) or (reflect\$5 adj reduc\$5)) and ((remov\$5 or strip or stripped or stripping or replac\$7 or refurbish\$5 or rejuv\$10) with (coat\$5 or film or layer or topcoat\$4 or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4)) or \$12silane or \$12siloxane or \$12polyether or perfluor\$9) with (lens\$4 or eyeglass\$4 or antireflect\$5 or (anti adj reflect\$5) or (reflect\$4 adj reduc\$5) or spectacle or ophthalmic\$5 or opthalmic\$5 or optical\$4)) and ((topcoat\$4 or coat\$5 or deposit\$5 or film or layer or fingerprint\$4 or antisoil\$5 or antistain\$5 or protect\$5 or hydrophob\$5 or oleophob\$5 or stainproof\$4 or soilproof\$4 or (anti adj (soil\$4 or stain\$4))) with (\$12silane or \$12siloxane or \$12polyether or perfluor\$10))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:48
L39	69	L38 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 14:50
L40	532	L38 not L39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2005/07/14 14:51